



## **T.C. 885 Spray Cleaner**

### **DESCRIPTION**

T.C. 885 spray cleaner is a powdered non-phosphated, solventized product intended for use in regular and high pressure spray washers. T.C. 885 spray cleaner contains unique ingredients which effectively combat foam, even at low temperature ranges.

### **PROPERTIES**

Appearance.....Tan, moist powder  
Odor.....Mild, aromatic  
Biodegradable.....Yes, all surfactants  
pH (1% solution).....11.9  
Foam.....None  
Rinsing.....Free and Complete  
Causticity.....None  
Solubility.....Complete at use concentration

### **USING PROCEDURE**

Recommended use concentrations are 1/2 - 3 ounces per gallon, depending on soil, temperature and pressure. Recommended temperature range is 60-170°F.

### **DISPENSING**

T.C. 885 spray cleaner may be dispensed by using a C-2 dispenser.

### **TITRATION**

Use a 10 ml sample size with Tru-Chem Company, Inc. Titration Kit #100, Procedure #107.

### **MATERIAL SAFETY**

T.C. 885 spray cleaner is safe on ferrous metals, aluminum, cadmium, galvanize, copper, brass, zinc and tin when used at 1/2 - 4 ounces/gallon and at temperature ranges of 60 - 170°F.

### **STORAGE**

Store in a dry place. Keep container closed.

### **CAUTION**

#### **KEEP OUT OF THE REACH OF CHILDREN.**

T.C. 885 is spray cleaner is alkaline and should be used with caution. Do not ingest or get into eyes. Avoid prolonged contact with skin. If contact should be made with skin, flush immediately with water. For eyes, flush with water for at least 15 minutes and get medical attention. Emergency treatment procedures are on file with the local Poison Control Center listed in the white pages of the telephone directory.